DELPHION







Leg@m | Wediffiles | Saved Searches | My Account

Search: Quick/Number Boolean Advanced Derwent

Help

Add

The Delphion Integrated View

Get Now: V PDF File History Other choices	Tools: Add to Work File: Create new Work File
View: INPADOC Jump to: Top	区 Email this to a friend

JP08068184A2: ARCHITECTURAL PANEL Fitte:

Composite panel for kitchen, and bathroom units - has face plate bonded to steel sheet using adhesive, and sheet connected to structure through clip or screw [Derwent Record] PDerwent Title:

JP Japan P Country:

%Kind:

AKIMOTO YUKIO; **廖 Inventor:**

ASK:KK & Assignee:

News, Profiles, Stocks and More about this company

1996-03-12 / 1994-08-30 Published / Filed:

JP1994000205451 **PApplication**


Number:

IPC-7: E04F 13/14; E04C 2/28; E04C 2/30; E04F 13/08; PIPC Code:

1994-08-30 JP1994000205451 Priority Number:

adhesive agent so that both ends of the steel plate can be fitted to a adhering a steel plate to the back surface of a surface plate with the manufactured at low cost and which has the sufficient strength, by PURPOSE: To obtain a thin architectural panel, which can be bedding member. & Abstract:

chloride steel plate or zinc plated steel plate, which are formed into CONSTITUTION: Surface plates 2, 2 are made of plaster board, cement board or fiber reinforced cement board, which is reinforced by organic, inorganic or wood fiber. Steel plates 3, 3 made of vinyl the flat plate or the plate with rib or wave, projecting part or



bent at a nearly right angle so as to form the bend parts 6, 6, and this bend part 6 is fitted in a groove 8 of a beam-like clip 7 having the groove-like cross section so as to connect both the panels 1 for recessed part or groove, are provided. The steel plate 3 is adhered to the back surface of the surface plate 2, and both ends 3a of the steel plate 3 are fitted to a bedding member 5 by using a fixing member 4 such as a screw. Or, both ends of the steel plate 3 are fixation.

COPYRIGHT: (C)1996, JPO


Pramily:

None

DERABS G96-196990 DERG96-196990

%Other Abstract





Nominate this for the Gallery...

THOMSON

Copyright @ 1997-2006 The Thomson Corporation Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help 20/01/2006

6

5

的に示す断面部分図である。

【図7】この発明の建築用パネルの第7の実施例を模式的に示す断面部分図である。

【図8】この発明の建築用パネルの第8の実施例を模式的に示す断面部分図である。

【図9】この発明の建築用パネルの第9の実施例を模式的に示す断面部分図である。

【図10】この発明の建築用パネルの第10の実施例を 模式的に示す断面部分図である。

【符号の説明】

- 1 建築用パネル
- 2 面板

3 鋼板

- 4 固着部材
- 5 下地部材
- 6 屈曲部
- 7 クリップ
- 8 溝部
- 9 固着部材
- 9 a 固着部材
- 9 b 固着部材
- 10 10 シーリング材
 - 12 突条部
 - 14 突部

【図1】

【図2】

